

# HOME COLLECTION


2023



AUDIO SOLUTIONS  
HANDCRAFTED IN FRANCE







For more than four decades, Focal has created speaker drivers and high-end loudspeakers that deliver a unique sound. Our brand values are innovation and performance; excellence and pleasure. We are globally renowned for our exclusive technologies. The result of this technological heritage is class-leading products offering a natural, authentic performance, imbued with clarity and power. With our collection of acoustic loudspeakers, we bring you excellent listening quality, both in stereo and Home Cinema set ups, through solutions with an exceptional design.




**01.**  
UTOPIA

7

**02.**  
SOPRA

17



**03.**  
KANTA

23

**04.**  
ARIA

29







## **05.** VESTIA

35

## **06.** THEVA

41



## **07.** SUBWOOFERS

47

## **08.** ASTRAL 16

51



---

# 01. UTOPIA

*The legend continues*

The embodiment of Focal excellence, the Utopia III Evo line is distinguished by its incredible silhouette, cutting-edge, exclusive technology, finishes inspired by the luxury car industry and, of course, the unrivalled listening experience they deliver. They are also home to the best components of their generation. Utopia is an icon, and still streets ahead of the rest.

---



## KEY POINTS



'W' sandwich  
cone



Pure Beryllium  
tweeter



TMD®  
surround



Power Flower™  
technology



Focus  
Time



Large laminar  
vent





# GRANDE UTOPIA EM EVO

*The ultimate sound*

Grande Utopia has left an indelible mark with each generation; it is Focal's most successful concept. With its exceptional performance and unique style, it is no longer simply a monument to technology, it is also a sound sculpture. Each speaker driver is housed inside a separate box. These boxes make up the spectacular spinal column of the loudspeaker and can be tilted by a dedicated handle. This adjustable 'Focus Time' function means you can achieve an absolutely perfect sound image based on the configuration of your room.

HANDCRAFTED  
  
IN FRANCE



Carrara  
White



Black  
Lacquer



Ash  
Grey



Metallic  
Blue



British Racing  
Green



Noyer  
Foncé



Noyer  
Naturel

---



### GRANDE UTOPIA EM EVO



### STELLA UTOPIA EM EVO

<b>Type</b>	4-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker
<b>Drivers</b>	<ul style="list-style-type: none"> <li>• Electro-Magnetic 16" (40cm) 'W' Woofer</li> <li>• Multiferrite 11" (27cm) 'W' Low-Mid Woofer</li> <li>• 2 x 6½" (16.5cm) 'W' Midrange Power Flower™ with TMD® suspension and NIC motor</li> <li>• 1" (27mm) IAL2 pure Beryllium inverted dome tweeter</li> </ul>	<ul style="list-style-type: none"> <li>• Electro-Magnetic 13" (33cm) 'W' Woofer</li> <li>• 2 x 6½" (16.5cm) 'W' Midrange Power Flower™ with TMD® suspension and NIC motor</li> <li>• 1" (27mm) IAL2 pure Beryllium inverted dome tweeter</li> </ul>
<b>Frequency response</b>	18Hz - 40kHz	22Hz - 40kHz
<b>Low frequency point (-6dB)</b>	14Hz	18Hz
<b>Crossover frequency</b>	80 / 220 / 2,300Hz	230 / 2,200Hz
<b>Sensitivity (2.83V/1 m)</b>	94dB	94dB
<b>Nominal impedance</b>	8Ω (min 3Ω)	8Ω (min 2.8Ω)
<b>Recommended amplifier power</b>	50 - 1,500W	50 - 1,000W
<b>Dimensions (HxWxD)</b>	77⅞ x 25¾ x 34⅝" (201 x 65.4 x 88cm)	61⅞ x 21¾ x 32⅝" (155.8 x 55.3 x 83cm)
<b>Net weight (by unit)</b>	584lbs (265kg)	375lbs (170kg)
<b>Finishes</b>		





### MAESTRO UTOPIA EVO

3-way bass-reflex  
floorstanding loudspeaker

- 11" (27cm) 'W' Woofer with a Magnetic Damping System (MDS)
- 11" (27cm) 'W' Woofer Power Flower™
- 6½" (16,5cm) 'W' Midrange with TMD® suspension and NIC motor
- 1" (27mm) IAL2 pure Beryllium inverted dome tweeter

25Hz - 40kHz

21Hz

280 / 2,200Hz

93dB

8Ω (min 3.1Ω)

50 - 600W

57⅞ x 17⅞ x 30¼"  
(147 x 45.5 x 77cm)

256lbs (116kg)



### SCALA UTOPIA EVO

3-way bass-reflex  
floorstanding loudspeaker

- 11" (27cm) 'W' Woofer Power Flower™
- 6½" (16,5cm) 'W' Midrange with TMD® suspension and NIC motor
- 1" (27mm) IAL2 pure Beryllium inverted dome tweeter

27Hz - 40kHz

24Hz

220 / 2,400Hz

92dB

8Ω (min 3.2Ω)

50 - 500W

(49⅞ x 15½ x 26⅜")  
(124.7 x 39.3 x 67cm)

187lbs (85kg)





### DIABLO UTOPIA COLOUR EVO



### VIVA/VIVA CENTER UTOPIA COLOUR EVO

Type	2-way bass-reflex compact bookshelf loudspeaker	3-way LCR bass-reflex loudspeaker
Drivers	<ul style="list-style-type: none"><li>• 6½" (16.5cm) 'W' Mid-Bass Power Flower™</li><li>• 1" (27mm) IAL2 pure Beryllium inverted dome tweeter</li></ul>	<ul style="list-style-type: none"><li>• 2 x 8" (21cm) 'W' Woofers</li><li>• 6½" (16.5cm) 'W' Midrange Power Flower™</li><li>• 1" (27mm) IAL2 pure Beryllium inverted dome tweeter</li></ul>
Frequency response	44Hz - 40kHz	39Hz - 40kHz
Low frequency point (-6dB)	40Hz	34Hz
Crossover frequency	2,200Hz	270Hz / 2,200Hz
Sensitivity (2.83V/1 m)	89dB	92dB
Nominal impedance	8Ω (min 4Ω)	8Ω (min 3.2Ω)
Recommended amplifier power	25 - 200W	50 - 600W
Dimensions (HxWxD)	17 x 10⅞ x 16¾" (43.1 x 25.8 x 42.7cm)	37⅞ x 12⅝ x 20⅞" (94.2 x 32.2 x 51cm)
Net weight (by unit)	44lbs (20kg)	125lbs (57kg)
Finishes		



---

**SUB UTOPIA EM  
COLOUR EVO**

---

Subwoofer (see p.47)

---



---

**DIABLO UTOPIA  
COLOUR EVO STAND**

---

Height: 24" (60cm)  
Graphite Black finish

---



---

**VIVA / VIVA CENTER  
UTOPIA COLOUR EVO STAND**

---

Height: 16" (40cm)  
Graphite Black finish

---

---

# 02.

# SOPRA

## *Revealing the invisible*

The Sopra loudspeakers push back the limits of sound reproduction in terms of transparency, of precision, and harmonic richness. They gloriously release the essence of music: you will feel like you are listening to some sounds for the very first time... With its sleek design and its compactness, the Sopra range is a delight for aesthetes of form and sound.

---



## FINISHES



Carrara  
White



Electric  
Orange



Black  
Lacquer



Light  
Oak



Smoked  
Oak




Macassar


## KEY POINTS



'W' sandwich  
cone



TMD®  
surround



Pure Beryllium  
IHL tweeter



NIC  
technology





### SOPRA N°3

### SOPRA N°2

### SOPRA N°1

<b>Type</b>	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker	2-way bass-reflex bookshelf loudspeaker
<b>Drivers</b>	<ul style="list-style-type: none"> <li>• 2 x 8" (21cm) 'W' Woofer with NIC motor</li> <li>• 6½" (16.5cm) 'W' Midrange with TMD® suspension and NIC motor</li> <li>• 1" (27mm) IHL pure Beryllium inverted dome tweeter</li> </ul>	<ul style="list-style-type: none"> <li>• 2 x 7" (18cm) 'W' Woofer with NIC motor</li> <li>• 6½" (16.5cm) 'W' Midrange with TMD® suspension and NIC motor</li> <li>• 1" (27mm) IHL pure Beryllium inverted dome tweeter</li> </ul>	<ul style="list-style-type: none"> <li>• 6½" (16.5cm) 'W' Mid-Bass with TMD® suspension and NIC motor</li> <li>• 1" (27mm) IHL pure Beryllium inverted dome tweeter</li> </ul>
<b>Frequency response</b>	33Hz - 40kHz	34Hz - 40kHz	45Hz - 40kHz
<b>Low frequency point (-6dB)</b>	26Hz	28Hz	41Hz
<b>Crossover frequency</b>	250Hz / 2,200Hz	250Hz / 2,200Hz	2,200Hz
<b>Sensitivity (2.83V/1 m)</b>	91,5dB	91dB	89dB
<b>Nominal impedance</b>	8Ω (min 3.1Ω)	8Ω (min 3.1Ω)	8Ω (min 3.9Ω)
<b>Recommended amplifier power</b>	40 - 400W	40 - 300W	25 - 150W
<b>Dimensions (HxWxD)</b>	49⅝ x 15¾ x 23⅝" (126.4 x 40.2 x 59.5cm)	46⅞ x 14⅞ x 21¼" (119 x 35.8 x 54cm)	16⅞ x 11 x 15¾" (42.5 x 27.9 x 39.6cm)
<b>Net weight (by unit)</b>	154lbs (70kg)	121lbs (55kg)	42lbs (19kg)
<b>Finishes</b>			





### SOPRA CENTER

3-way bass-reflex  
center loudspeaker

- 2 x 6½" (16.5cm)  
'W' Woofers
- 3" (8cm) 'W' Midrange
- 1" (27mm) IHL  
pure Beryllium  
inverted dome tweeter

55Hz - 40kHz

50Hz

500Hz / 2,200Hz

91dB

8Ω (min 4.1Ω)

40 - 200W

9¼ x 24 x 13¾"  
(23.5 x 60.9 x 35cm)

121lbs (19kg)



### SOPRA SURROUND BE

2-way sealed bipolar  
surround loudspeaker

- 2 x 6½" (16.5cm)  
'W' Mid-Bass
- 2 x 1" (27mm) IHL  
pure Beryllium  
inverted dome tweeter

72Hz - 40kHz

59Hz

2,400Hz

91dB

4Ω / 8Ω  
(min 3Ω / 6Ω (bipole/monopole))

40 - 200W

15⅝ x 16⅞ x 7½"  
(39 x 43 x 19cm)

28lbs (13kg)



### SW 1000 BE

Subwoofer (see p.47)



### SOPRA STAND

Height: 24" (60cm)  
Graphite Black finish

---

# 03.

## KANTA

### *Performance meets style*

Kanta is all about superb performance in an even more tightly controlled space. Precision, detail, warmth and musical sounding are its key sound characteristics. The range also stands out for its modern design and decidedly disruptive aesthetics. The front panels of its four models, in either a lacquered or a matte finish, offer various combination options to cater to all tastes and to suit diverse environments.

---



## FINISHES



Black High Gloss  
Black Mat



Black High Gloss  
Dark Grey Mat



Walnut Mat  
Ivory Mat



Walnut Mat  
Dark Grey Mat



White High Gloss  
White Mat



Walnut High Gloss  
Black Mat



Walnut High Gloss  
Warm Taupe Mat



Walnut High Gloss  
Ivory Mat

## KEY POINTS




Flax  
cone



Beryllium  
tweeter



TMD®  
surround



Focus  
Time






















### KANTA N°3

### KANTA N°2

### KANTA N°1

<b>Type</b>	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker	2-way bass-reflex bookshelf loudspeaker
<b>Drivers</b>	<ul style="list-style-type: none"> <li>• 2 x 8" (21 cm) Flax bass with NIC motor</li> <li>• 6½" (16.5 cm) Flax Midrange with TMD® suspension and NIC motor</li> <li>• 1" (27mm) IAL3 pure Beryllium inverted dome tweeter</li> </ul>	<ul style="list-style-type: none"> <li>• 2 x 6½" (16.5cm) Flax Woofer with NIC motor</li> <li>• 6½" (16.5cm) Flax Midrange with TMD® suspension and NIC motor</li> <li>• 1" (27mm) IAL3 pure Beryllium inverted dome tweeter</li> </ul>	<ul style="list-style-type: none"> <li>• 6½" (16.5 cm) Flax Mid-Bass with TMD® suspension and NIC motor</li> <li>• 1" (27 mm) IAL3 pure Beryllium inverted dome tweeter</li> </ul>
<b>Frequency response</b>	33Hz - 40kHz	35Hz - 40kHz	46Hz - 40kHz
<b>Low frequency point (-6dB)</b>	26Hz	29Hz	42Hz
<b>Crossover frequency</b>	250Hz / 2,500Hz	260Hz / 2,700Hz	2,400Hz
<b>Sensitivity (2.83V/1 m)</b>	91dB	91dB	88dB
<b>Nominal impedance</b>	8Ω (min 3Ω)	8Ω (min 3.1Ω)	8Ω (min 3.9Ω)
<b>Recommended amplifier power</b>	40 - 400W	40 - 300W	25 - 150W
<b>Dimensions (HxWxD)</b>	50⅜ x 15¼ x 20½" (128 x 38.6 x 52cm)	44 x 12⅞ x 18¾" (111.8 x 32.1 x 47.7cm)	16⅝ x 9¼ x 15⅜" (42.2 x 23.4 x 39cm)
<b>Net weight (by unit)</b>	101lbs (46kg)	77lbs (35kg)	29lbs (13kg)
<b>Finishes</b>	    	    	    



## KANTA CENTER

2-way bass-reflex  
center loudspeaker

- 6½" (16.5 cm) Flax Mid-Bass with TMD® suspension and NIC motor
- 1" (27 mm) IAL3 pure Beryllium inverted dome tweeter

55Hz - 40kHz

50Hz

2,400Hz

91dB

8Ω (min 3.5Ω)

40 - 200W

9½ x 22 x 15⅜"  
(24.6 x 56.1 x 39cm)

40lbs (18kg)



## SUB 1000 F

Subwoofer (see p.47)



## KANTA N°1 STAND

Adjustable height from  
24" to 25" (61,5 to 64,1cm)  
Graphite Black finish



## KANTA CENTER STAND

Adjustable height from  
16.5" to 17.5" (42,4 to 45cm)  
Graphite Black finish

---

# 04.

# ARIA

***High-Fidelity guaranteed***

The harmonic richness of the Aria line is a guarantee of genuine high-fidelity musical sound. Exclusive to Focal, the Flax cone of each speaker driver is a treat for the eyes, as well as the ears. From the cabinet to its natural design, nothing is left to chance - ensuring you will always enjoy an expressive, balanced listening experience.

---





## FINISHES



Noyer



Black High  
Gloss

## KEY POINTS




Flax  
cone



TNF  
Tweeter



Multi-port  
Powerflow system



Leather effect  
front panel





**ARIA 948**



**ARIA 936**



**ARIA 926**

<b>Type</b>	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker
<b>Drivers</b>	<ul style="list-style-type: none"> <li>• 2 x 8" (21cm) Flax Woofer</li> <li>• 6½" (16.5cm) Flax Midrange</li> <li>• 1" (25mm) TNF Al/Mg inverted dome tweeter</li> </ul>	<ul style="list-style-type: none"> <li>• 3 x 6½" (16.5cm) Flax Woofer</li> <li>• 6½" (16.5cm) Flax Midrange</li> <li>• 1" (25mm) TNF Al/Mg inverted dome tweeter</li> </ul>	<ul style="list-style-type: none"> <li>• 2 x 6½" (16.5cm) Flax bass</li> <li>• 6½" (16.5cm) Flax Midrange</li> <li>• 1" (25mm) TNF Al/Mg inverted dome tweeter</li> </ul>
<b>Frequency response</b>	37Hz - 28kHz	39Hz - 28kHz	45Hz - 28kHz
<b>Low frequency point (-6dB)</b>	31Hz	32Hz	37Hz
<b>Crossover frequency</b>	280Hz / 2,600Hz	260Hz / 3,100Hz	290Hz / 2,400Hz
<b>Sensitivity (2.83V/1 m)</b>	92.5dB	92dB	91.5dB
<b>Nominal impedance</b>	8Ω (min 2.5Ω)	8Ω (min 2.8Ω)	8Ω (min 2.9Ω)
<b>Recommended amplifier power</b>	40 - 350W	40 - 300W	40 - 250W
<b>Dimensions (HxWxD)</b>	45¼ x 14⅝ x 16⅞" (115 x 37.1 x 42cm)	45¼ x 11⅝ x 14⅝" (115 x 29.4 x 37.1cm)	40¾ x 11⅝ x 14⅝" (103.5 x 29.4 x 37.1cm)
<b>Net weight (by unit)</b>	77lbs (35kg)	64lbs (29kg)	55lbs (25kg)
<b>Finishes</b>	 	 	 



### ARIA 906

2-way bass-reflex  
bookshelf loudspeaker

- 6½" (16.5cm)  
Flax Mid-Bass
- 1" (25mm) TNF  
Al/Mg inverted  
dome tweeter

55Hz - 28kHz

47Hz

2,800Hz

89.5dB

8Ω (min 4.6Ω)

25 - 120W

15⅜ x 8⅞ x 11"  
(39 x 22.5 x 28cm)

19lbs (8.5kg)



### ARIA CC 900

2-way bass-reflex  
center loudspeaker

- 2 x 6½" (16.5cm)  
Flax Mid-Bass
- 1" (25mm) TNF  
Al/Mg inverted  
dome tweeter

57Hz - 28kHz

50Hz

2,800Hz

91dB

8Ω (min 4.3Ω)

40 - 200W

7⅞ x 21 x 9⅝"  
(20 x 53.3 x 24.5cm)

23lbs (10.5kg)



### ARIA SR 900

2-way sealed bipolar  
surround loudspeaker

- 2 x 5" (13cm)  
Flax Mid-Bass
- 2 x 1" (25mm) TNF  
Al/Mg inverted  
dome tweeter

85Hz - 28Hz

67Hz

2,200Hz

90dB

8Ω (min 3.6Ω)

25 - 120W

11⅞ x 15¾ x 6"  
(29.5 x 40 x 17cm)

12lbs (6kg)



### SUB 1000 F

Subwoofer (see p.47)



### S900 STAND

Aria 906 compatible  
Height: 24" (60cm)  
Aluminium finish

---

# 05.

## VESTIA

*A further step towards emotion*

With the Vestia line, feel new emotions, whether in a hi-fi or Home Cinema setup. The five models of the range reveal the purity of Focal sound with even more finesse and detail, thanks to the attributes of the speaker drivers' Slatefiber cone and the TAM tweeter with 'M'-shaped dome delivering precise treble. With their sleek design and refined finishes, these loudspeakers fit seamlessly into any interior.

---






## FINISHES



Black  
High Gloss



Light  
Wood



Dark  
Wood

## KEY POINTS



Slatefiber  
cone



TAM  
Tweeter




Rear and front  
port



Time  
Alignment










**VESTIA N°4**



**VESTIA N°3**



**VESTIA N°2**

<b>Type</b>	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker	3-way bass-reflex floorstanding loudspeaker
<b>Drivers</b>	<ul style="list-style-type: none"> <li>• 2 x 8¼" (21cm) Slatefiber Woofer</li> <li>• 6½" (16.5cm) Slatefiber Midrange</li> <li>• 1" (25mm) TAM Al/Mg inverted dome tweeter</li> </ul>	<ul style="list-style-type: none"> <li>• 3 x 6½" (16.5cm) Slatefiber Woofer</li> <li>• 6½" (16.5cm) Slatefiber Midrange</li> <li>• 1" (25mm) TAM Al/Mg inverted dome tweeter</li> </ul>	<ul style="list-style-type: none"> <li>• 2 x 6½" (16.5cm) Slatefiber Woofer</li> <li>• 6½" (16.5cm) Slatefiber Midrange</li> <li>• 1" (25mm) TAM Al/Mg inverted dome tweeter</li> </ul>
<b>Frequency response</b>	40Hz - 30kHz	42Hz - 30kHz	47Hz - 30kHz
<b>Low frequency point (-6dB)</b>	34Hz	35Hz	37Hz
<b>Crossover frequency</b>	280Hz / 2,800Hz	280Hz / 3,100Hz	280Hz / 2,800Hz
<b>Sensitivity (2.83V/1 m)</b>	92dB	92dB	91.5dB
<b>Nominal impedance</b>	8Ω (min 2.6Ω)	8Ω (min 2.9Ω)	8Ω (min 4Ω)
<b>Recommended amplifier power</b>	40 - 350W	40 - 300W	40 - 250W
<b>Dimensions (HxWxD)</b>	44⅞ x 12 x 16⅞" (112.6 x 30.4 x 43cm)	44⅞ x 10⅞ x 14¾" (112.2 x 25.6 x 37.5cm)	39⅞ x 10⅞ x 14⅝" (101.2 x 25.6 x 37.1cm)
<b>Net weight (by unit)</b>	69.5lbs (31.5kg)	58.4lbs (26.5kg)	48.5lbs (22kg)
<b>Finishes</b>			



### VESTIA N°1

2-way bass-reflex  
bookshelf loudspeaker

- 6½" (16.5cm)  
Slatefiber Mid-Bass
- 1" (25mm) TAM  
Al/Mg inverted  
dome tweeter

56Hz - 30kHz

48Hz

2,800Hz

89.5dB

8Ω (min 4.5Ω)

25 - 120W

15¼ x 10¼ x 8⅝"  
(38.7 x 21.9 x 26cm)

15.4lbs (7kg)



### VESTIA CENTER

2-way bass-reflex  
center loudspeaker

- 2 x 6½" (16.5cm)  
Slatefiber Mid-Bass
- 1" (25mm) TAM  
Al/Mg inverted  
dome tweeter

58Hz - 30kHz

50Hz

2,700Hz

91.5dB

8Ω (min 3.6 Ω)

40 - 200W

8½ x 21⅞ x 10⅜"  
(21.6 x 53.7 x 25.9cm)

22lbs (10kg)



### SUB 600P

Subwoofer (see p.47)



### VESTIA N°1 STAND

Height: 21⅞" (55cm)  
Black finish



### VESTIA CENTER STAND

Height: 17¾" (45cm)  
Black finish

---

# 06.

## THEVA

*Experience High-Fidelity*

Generous and assertive, the Theva loudspeakers promise to bring pure musical and Home Cinema experiences into your home. Packed with exclusive Focal technologies like the Slatefiber cone, they boast elegant and modern finishes as well as meticulous details for a refined look that blends seamlessly into any interior. They combine impressive sound performance and outstanding design, embodying the best way to experience High-Fidelity.

---



## FINISHES



Black



Light  
Wood



Dark  
Wood

## KEY POINTS



Slatefiber  
cone



Al/Mg  
TNF Tweeter




Dolby Atmos®  
effects



Time  
Alignment







### THEVA N°3-D

### THEVA N°3

### THEVA N°2

### THEVA N°1

<b>Type</b>	3-way bass-reflex floorstanding loudspeaker - 1-way sealed	3-way bass reflex floorstanding loudspeaker	2.5-way bass reflex floorstanding loudspeaker	2-way bass reflex bookshelf loudspeaker
<b>Drivers</b>	<ul style="list-style-type: none"><li>• 2 x 6½" (16.5cm) Slatefiber Woofer</li><li>• 6½" (16.5cm) Slatefiber Midrange</li><li>• 1" (25mm) TNF Al/Mg inverted dome tweeter</li></ul>	<ul style="list-style-type: none"><li>• 2 x 6½" (16.5cm) Slatefiber Woofer</li><li>• 6½" (16.5cm) Slatefiber Midrange</li><li>• 1" (25mm) TNF Al/Mg inverted dome tweeter</li></ul>	<ul style="list-style-type: none"><li>• 6½" (16.5cm) Slatefiber Woofer</li><li>• 6½" (16.5cm) Slatefiber Midrange</li><li>• 1" (25mm) TNF Al/Mg inverted dome tweeter</li></ul>	<ul style="list-style-type: none"><li>• 6½" (16.5cm) Slatefiber Mid-Bass</li><li>• 1" (25mm) TNF Al/Mg inverted dome tweeter</li></ul>
<b>Frequency response</b>	48Hz - 28kHz Atmos: 100Hz - 20kHz	48Hz - 28kHz	53Hz - 28kHz	58Hz - 28kHz
<b>Low frequency point (-6dB)</b>	39Hz Atmos: 90Hz	39Hz	45Hz	49Hz
<b>Crossover frequency</b>	270Hz / 2,700Hz	270Hz / 2,700Hz	280Hz / 2,900Hz	3,000Hz
<b>Sensitivity (2.83V/1 m)</b>	91dB	91dB	90dB	89dB
<b>Nominal impedance</b>	8Ω (min 2.9Ω) Atmos: 6Ω	8Ω (min 2.9Ω)	8Ω (min 4Ω)	8Ω (min 4.6Ω)
<b>Recommended amplifier power</b>	40 - 250W	40 - 250W	40 - 200W	25 - 120W
<b>Dimensions (HxWxD)</b>	40⅞ x 8⅞ x 15¼" (101.9 x 21.2 x 38.8cm)	39 x 8⅞ x 15¼" (98.9 x 21.2 x 38.8cm)	36⅝ x 7½ x 13⅞" (93.1 x 19.1 x 35.2cm)	15⅜ x 8⅞ x 10¼" (39.2 x 21.2 x 26cm)
<b>Net weight (by unit)</b>	48lbs (22kg)	44lbs (20kg)	37lbs (17kg)	15lbs (7kg)
<b>Finishes</b>				





THEVA  
CENTER

2-way sealed  
center loudspeaker

THEVA  
SURROUND

2-way sealed  
surround loudspeaker

SUB 600P

Subwoofer (see p.47)

- 2x 6½" (16.5cm)  
Slatefiber Mid-Bass
- 1" (25mm) TNF  
Al/Mg inverted  
dome tweeter

- 2x 6½" (16.5cm)  
Slatefiber Mid-Bass
- 1" (25mm) TNF  
Al/Mg inverted  
dome tweeter

59Hz - 28kHz

80Hz - 28kHz

51Hz

67Hz

2,100Hz

3,000Hz

91dB

89dB

8Ω (min 3.8Ω)

8Ω (min 4.5Ω)

40 - 200W

25 - 100W

8¼ x 20⅞ x 10"  
(21 x 53 x 25cm)

17½ x 12⅝ x 4"  
(44.5 x 10.7 x 31.6cm)

22lbs (10kg)

11lbs (5.5kg)



THEVA N°1 STAND

Height: 21¾ (55cm)  
Black finish



THEVA CENTER STAND

Height: 17¾ (45cm)  
Black finish

---

# 07.

# SUBWOOFERS

*Dynamics, impact and power*

The subwoofer is a major component of any audio installation, providing dynamics and intensity. With their sleek design, Focal subwoofers offer a deep, impactful and powerful bass. They effectively complement a wide range of configurations, from the most sophisticated Home Cinema installations to compact systems. All you have to do is choose the subwoofer for you!

---





### SUB UTOPIA EM COLOUR EVO



### SW 1000 BE

<b>Type</b>	Stackable passive subwoofer		Active bass-reflex subwoofer
<b>Drivers</b>	<ul style="list-style-type: none"><li>• Electro-Magnetic 13" (33cm) 'W' bass driver</li><li>• Stackable (up to 3 subwoofers tall)</li><li>• Almost 130dB SPL at 1m (in a corner)</li></ul>		13" (33cm) 'W' woofer
<b>Frequency response</b>	22Hz - 500Hz		20Hz - 150Hz
<b>Low frequency point (-6dB)</b>	19Hz		18Hz
<b>Functions</b>	<b>Sensitivity (2.83V/1m)</b>	93dB	<ul style="list-style-type: none"><li>• LFE/Stereo/Digital inputs</li><li>• Adjustable LPF: 50Hz to 150Hz (24dB/oct.), 48dB/oct.</li><li>• Adjustable subsonic filter</li><li>• 3 user memories</li><li>• Night mode and Boost mode</li><li>• Autopower</li></ul>
	<b>Nominal impedance</b>	8Ω 8Ω (min 5.5Ω)	
	<b>Recommended amplifier power</b>	500 - 1.000W	
<b>Amplifier power</b>	-		600W BASH® amplifier
<b>Dimensions (HxWxD)</b>	24¾ x 19 x 24¾" (63 x 48 x 62cm)		21 x 19¾ x 16 <sup>7/8</sup> " (53.5 x 50 x 43cm)
<b>Net weight (by unit)</b>	159lbs (72kg)		92lbs (42kg)
<b>Finishes</b>			



## SUB 1000F

Active sealed subwoofer

12" (30cm) Flax woofer

24Hz - 160Hz

22Hz

- LFE/Stereo inputs
- Adjustable subsonic filter:  
40Hz to 160Hz/12dB/Oct
- Phase inverter:  
0 - 180°
- Autopower

1000W  
BASH® amplifier

16½ x 15¾ x 16½"  
(42 x 40 x 42cm)

47lbs (21.5kg)



## SUB 600P

Active closed subwoofer

12" (30cm) Polyflex woofer

28Hz - 270Hz

26Hz

- RCA input:  
Right, left, LFE
- Crossover Frequency:  
Variable 40Hz - 200Hz (LFE)
- Phase inverter:  
0 - 180°
- AutoStandby  
enable / disable

600W Dynamic  
300W RMS

15¾ x 15¾ x 16¾"  
(40 x 40 x 42.5cm)

46lbs (21kg)



---


# 08.

## ASTRAL 16


### *Sound immersion*

Astral 16 is a 16-channel audio-video processor and amplifier that allows you to get the best from your loudspeakers. Compatible with Control4, Crestron, Savant and RTI, this cutting-edge electronic device incorporates 12 class-D amplifier channels and handles all audio formats (DolbyAtmos®, DTS:X™ etc.). You can control whichever system you want by room via a simple app, enjoy access to technical support at any time and customise your system as desired.

---



## KEY POINTS




Audio-video  
processor



Home Cinema &  
Multiroom





Dolby Atmos®  
DTSX® - Auro 3D®



Upgradable  
product







## ASTRAL 16

<b>Type</b>	16 channel audio-video processor and amplifier	
<b>Main features</b>	• Compatible formats	Dolby Atmos <sup>®</sup> / DTS:X <sup>™</sup> / Auro-3D <sup>®</sup>
	• Compatible formats	Powered by Dirac Live <sup>®</sup> : target curve editable from 20Hz to 20kHz for all channels (including subwoofers), phase correction full bandwidth 20Hz - 20kHz on all channels (including subwoofers)
	• 'Remote Monitoring' function	
<b>Multichannel / Surround Processing</b>	• Output channels	16
	• Decoding / upmixing channels	Up to 16 channels
	• Input sampling rate supported	Up to 192kHz
	• Stereo downmix	
	• Bass management	Fully flexible
	• Multi-subwoofer channels	Unlimited
	• Multi-way crossover	(6-12-18-24-36-48dB/oct)
	• 20 Parametric EQ per channel	
<b>HDMI</b>	• HDMI inputs	7 : HDMI 2.0 / HDCP 2.2
	• HDMI outputs (mirror)	1 : HDMI 2.0 / HDCP 2.2 (with eARC) 2 : HDMI 2.0 / HDCP 2.2
	• Supported video format	up to 4K UHD
	• High Dynamic Range	HDR10 / HLG
	• Color Space and Subsampling	4:4:4, 4:2:2, 4:2:0
	• Deep Color	12 bpc
	• Max resolution supported	4K 60fps 4:4:4 8bpc
	• HDMI	3D / 4K / eARC
<b>Audio Inputs</b>	• Digital input	3 x coaxial, 3 x optical
	• Analog stereo inputs	4 x RCA inputs
<b>Amplified Audio Outputs</b>	• Amplified main outputs	12
	• Analog main outputs, balanced	4 x XLR
	• Stereo downmix outputs, balanced	2 x XLR
	• Technology	Class D
	• Amplified channels	12
	• Continuous power output, per channel, to 0.1%THD	8Ω / 4Ω / 2.7Ω
	• 3 channels driven simultaneous	200W / 400W / 650W
	• 6 channels driven simultaneous	200W / 350W / 350W
	• 12 channels driven simultaneous	200W / 300W

<b>Set-Up Management</b>	<ul style="list-style-type: none"> <li>• Configurable multi-theater management</li> <li>• Configurable audio zones management</li> <li>• Unlimited Theater and audio zones listening presets</li> <li>• Backup and restore of set-up</li> <li>• Firmware update via USB/network</li> </ul>	
<b>Control Inputs and Outputs</b>	<ul style="list-style-type: none"> <li>• USB type A</li> <li>• Ethernet</li> <li>• Trigger</li> <li>• IR remote ports, in/out</li> </ul>	2  4 (out) 1 / 1
<b>Control and custom Installation</b>	<ul style="list-style-type: none"> <li>• Web-based product configurator</li> <li>• TCP/IP API based control</li> <li>• Focal Remote iPad® control application</li> <li>• Home automation</li> <li>• Front panel display</li> </ul>	   Control4, Crestron, RTI and Savant TFT 4.3"
<b>Power Supply</b>	<ul style="list-style-type: none"> <li>• Voltage range</li> <li>• Type</li> <li>• Range selection</li> </ul>	100V to 240V SMPS Universal
<b>Supplied with</b>	<ul style="list-style-type: none"> <li>• Calibrated measurement microphone and tripod</li> <li>• Dirac Live® license</li> <li>• 32.9ft (10m) cable with infra-red detector</li> <li>• Mounting kit</li> </ul>	
<b>Dimensions avec stands (HxWxD)</b>	7½ x 18⅞ x 19¼" (19.1 x 47.9 x 49cm)	
<b>Weight</b>	Weight net with stands Weight net with accessories for Rack (kg/lbs)	44.1lbs (20kg) 50.7lbs (23 kg)


---

# FOCAL & NAIM


## *Complete systems*

With Focal and Naim's complementary products, you can enjoy complete solutions. Our loudspeakers are designed to reveal a pure sound, the embodiment of the spirit of High Fidelity. Our all-in-one systems allow you to take full advantage of the loudspeakers' performance, and are a simple and smart way of managing your music from a single source: access integrated streaming services, (Spotify, Tidal, Qobuz, etc.), improve the sound of your TV, and enjoy your CDs and radio stations and more.

---



Focal  
loudspeakers



Uniti music-streaming  
system



Matching  
cables

---

THEVA N°1  
& UNITI ATOM

---



---

THEVA N°3  
& UNITI ATOM

---





---

VESTIA N°1  
& UNITI ATOM

---



---

VESTIA N°4  
& UNITI STAR

---



---

ARIA 926  
& UNITI STAR

---





---

KANTA N°1  
& UNITI STAR

---





---

KANTA N°2  
& UNITI NOVA

---





## UTOPIA



'Musically, audiophiles could not ask for anything more than the Grande'

AUDIOPHILIA

'The Stellas are really bespoke loudspeakers, and to me, musical works of art'

TONE PUBLICATIONS



'With all that grace, power, and finesse on tap, when it comes to music the Maestro is a genuinely do it all performer'

HIFI PLUS





## SOPRA



'The Sopra N°2 is literally and figuratively an impressive loudspeaker'

THE EARNET



'It's difficult to live without it'

SOUND STAGE HIFI



## KANTA



'The Focal Kanta N°3 delivers terrific sound quality and a stylish design for its price'

WHAT HI-FI

'Tonally, the Focal is absolutely magnificent'

AV FORUMS





## ARIA



'The sound quality offered for the price is excellent'

THE EAR NET



'It offers superb tonality, a wonderful soundstage and it is built like a Swiss watch'

AV FORUMS



## CHORA




'A supremely talented speaker that delivers an exceptional level of performance'

HIFICHoice

'Focal's 5.1.4 Chora system delivers impressive performance for the price and is equally adept at movies and music'

SOUND AND VISION





## ASTRAL 16



'An experience that was spine-tingling'

HOME CINEMA CHOICE

'This is high-end  
hardware fit  
for the finest of setups'

AVTECH MEDIA





---

# COLLECTIONS

Combining performance and design, Focal's collections are a revelation, awakening the émotions : at home with hi-fi and in-wall/in-ceiling loudspeakers, Home Cinema systems and open-/closed-back headphones; on the go with incar kits; during travel with Bluetooth® Noise Cancelling Headphones; in the studio with monitors; for outdoor spaces and at sea with specialist yacht solutions.

---



Home Collection



Motorities Collection



Professional Collection

---

# FOCAL *Powered by* naim

*Enjoy an incredible sound experience*

Find our products in 10,000 retail partner stores across the world, but also in our Focal Powered by Naim shops. These shops, dedicated to our brands, invite you to dive into our world, our savoir-faire and immerse yourself in the Focal & Naim sound.

## **ASIA**

Beijing - Bengaluru  
Dubai - Guangzhou  
Seoul Gangnam-gu  
Seoul Hanam  
Taipei

## **AUSTRALIA**

Adelaide - Melbourne  
Perth - Sydney

## **EUROPE**

Cannes - Lyon  
Perpignan  
Berlin  
Bad Schwartau  
Sevenoaks  
Norwich  
Prague  
Bucarest  
Vilnius


## **CANADA**

Barrie - Lethbridge  
Saskatoon  
Winnipeg

## **USA**

Austin  
Dallas - Houston  
Scottsdale  
Miami

---





For more information, scan the QR code  
or find us at:

**[www.focal.com](http://www.focal.com)**





## Focal JMLab®

BP 374 - 108, rue de l'Avenir - 42353 La Talaudière cedex - France - +33 (0) 477 435 700

Focal® is a registered trademark of Focal JMLab®, Naim® is a registered trademark of Naim Audio®.

Due to constant technological advances, Focal JMLab® and Naim Audio® reserve the right to modify specifications without notice.

Non-binding pictures. Pictures : L'Atelier Sylvain Madelon / Envato Elements. SCAA/11/04/2023 - v2

Printing: DEUX-PONTS Manufacture d'Histoires - France

